

Report To: DICICCO, ALAN
 672 S ARIVACA ROAD
 GOLDEN VALLEY, AZ 86413

Attention: ALAN DICICCO
Project: GENERAL TESTING MCAZ 73111

Description: DRAFT: RAIN WATER
Matrix: Water

Lab ID: 1080953-01

Lab No: 1080953
Reported: 08/29/11
Phone: (928) 451-6080
P.O. #

Sampled: 07/31/11 00:00
Received: 08/17/11 13:30

DRAFT: Metals - Total

<u>Analyte</u>	<u>Units</u>	<u>Results</u>	<u>Qualifier</u>	<u>MDL</u>	<u>RL</u>	<u>Method</u>	<u>Analyzed</u>	<u>Prepared</u>	<u>Batch</u>
Aluminum	ug/l	321		0.5	5.0	EPA 200.8	08/29/11	08/23/11	B1H0781
Barium	"	7.4		0.1	0.5	"	"	"	"
Strontium	"	5.5		0.1	0.5	"	"	"	"
Uranium	"	ND		0.10	0.50	"	"	"	"

Notes and Definitions

- QM-4X The spike recovery was outside of QC acceptance limits for the MS and/or MSD due to the analyte concentration being greater than 4 times the spike concentration. The QC batch was accepted based on LCS and/or LCSD recoveries within the acceptance limits.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the detection limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- < Less than reporting limit
- ≤ Less than or equal to reporting limit
- > Greater than reporting limit
- ≥ Greater than or equal to reporting limit
- MDL Method Detection Limit
- RL/ML Minimum Level of Quantitation
- MCL/AL Maximum Contaminant Level/Action Level
- mg/kg Results reported as wet weight
- TTLC Total Threshold Limit Concentration
- STLC Soluble Threshold Limit Concentration
- TCLP Toxicity Characteristic Leachate Procedure

Approved By

DRAFT REPORT

California ELAP Cert #1677 and #2718